



AC UNIT COVER

CRAFTED WITH TECHNOLOGY,
OFFERED WITH TRUST.



www.liccia.com

Geleceęi Şekillendiren Tecrübe: Kardeşler Metal Kalıp

LICCIA



10 yılı aşkın sektörel tecrübesiyle **Kardeşler Metal Kalıp**, Eskişehir'de bulunan **9.000 m²** modern üretim tesisinde faaliyetlerini sürdürmektedir. Kalite ve güveni merkeze alan üretim anlayışımızla, yurt içi pazarındaki güçlü konumumuzun yanı sıra yaklaşık **20 ülkeye** gerçekleştirdiğimiz ihracatla küresel ölçekte değer yaratmaya devam ediyoruz.

Sektöre yenilikçi bir vizyon kazandıran tescilli markamız **Liccia** çatısı altında; yüksek dayanıklılığa sahip klima konsolları ile alüminyum ve metal sacdan mamul estetik ev eşyaları üretiliyor, sektörün standartlarını yeniden belirleyerek pazarın dinamiklerine yeni bir soluk getiriyoruz. **Kardeşler Metal Kalıp** olarak, müşteri memnuniyeti ve sürdürülebilir kalite anlayışıyla yaşam alanlarınıza değer katmaktan gurur duyuyoruz.



OUR CAPABILITIES

Metal Forming: With experienced team workers high quality manufacturing.

Tools & Dies: Producing tools for our manufacturing.

Welding: Many thickness metals welded with good experience team worker.

Assembly Line: The assembly personnel perform the final checks carefully by acting with the principles of quality and precision.

Powder Coating: Completed parts are painted in different colors in this area.


Sheet Metal Manufacturing: Production for customers requirements drawings and designs.



RADIUS



COLOR RAL 9016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR



RADIUS




COLOR
RAL 9002

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY




ON THE FLOOR



RADIUS



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR



STAGE




COLOR
RAL 9016

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY




ON THE FLOOR



STAGE



COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY




ON THE FLOOR



STAGE



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR




ANGLED CONDOR



COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY



ON THE FLOOR




ANGLED
CONDOR



COLOR RAL 9016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

MOVABLE
ARM



ON THE WALL



ON THE BALCONY




ON THE FLOOR



ANGLED
CONDOR



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY




ON THE FLOOR



CORMORAN

COLOR RAL 9016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY




ON THE FLOOR



CORMORAN



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR



CORMORAN




COLOR
RAL 9002

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY




ON THE FLOOR



SLOTTED



COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR



SLOTTED




COLOR
RAL 9016

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY



ON THE FLOOR




SLOTTED



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------

MOVABLE
ARM



ON THE WALL



ON THE BALCONY



ON THE FLOOR




STONE



COLOR RAL 9016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

MOVABLE
ARM



ON THE WALL



ON THE BALCONY




ON THE FLOOR



STONE



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR




STONE



COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY




ON THE FLOOR



**FLATTED
CONDOR**



COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------



ON THE WALL



ON THE BALCONY



ON THE FLOOR




FLATTED
CONDOR



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

MOVABLE
ARM



ON THE WALL



ON THE BALCONY



ON THE FLOOR



FLATTED CONDOR




COLOR
RAL 9016

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY



ON THE FLOOR

SQUARE




COLOR
RAL 9002

GALVANIZED
1 mm

ALUMINUM (XS-S-M)
1,5 mm

ALUMINUM (L-XL)
2 mm

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY



ON THE FLOOR




SQUARE



COLOR RAL 9016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
--------------------------	---------------------------	------------------------------------	--------------------------------

**MOVABLE
ARM**



ON THE WALL



ON THE BALCONY




ON THE FLOOR



SQUARE



COLOR RAL 7016	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------



ON THE WALL





ON THE BALCONY



ON THE FLOOR

External Dimensions (WxDxH)	Maximum Unit Size (WxDxH)
XS (860x440x650 mm)	XS (805x410x648 mm)
S (980x500x700 mm)	S (925x470x698 mm)
M (1100x565x850 mm)	M (1045x535x848 mm)
L (1200x615x1100 mm)	L (1145x585x1098 mm)
XL (1200x615x1500 mm)	XL (1145x585x1498 mm)




COLORS


RAL 9016





RAL 7016



RAL 9002






	Width (W) mm	Depth (D) mm
XSMALL	865	442,5
SMALL	985	506,5
MEDIUM	1105	566,5
LARGE	1206	618
XLARGE	1206	618

COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------





WALL
BRACKET



	Heigh (H) mm	Depth (D) mm	Thickness mm
WB	375	400	1,5
WB	375	450	1,5
WB	375	550	2


COLOR
RAL 9002

GALVANIZED
1,5 mm





WALL
BRACKET



	Heigh (H) mm	Depth (D) mm	Thickness mm
WB	375	400	1,5
WB	375	450	1,5
WB	375	550	2


COLOR
RAL 9005

GALVANIZED
1,5 mm





WALL
BRACKET



	Heigh (H) mm	Depth (D) mm	Thickness mm
WB	375	400	1,5
WB	375	450	1,5
WB	375	550	2

COLOR
RAL 9002


GALVANIZED
1,5 mm






COLOR
RAL 9002

GALVANIZED
1,5 mm



	Heigh (H) mm	Depth (D) mm	Thickness mm
FWB	375	425	1,5
FWB	375	465	1,5
FWB	375	550	2






COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------

	Width (W) mm	Depth (D) mm	High (H) mm
???	???	???	???





COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm




	Width (W) mm	Depth (D) mm	High (H) mm
???	???	???	???
???	???	???	???





**FLOOR ECO
BRACKET**



	Width min-max (W)mm	Depth (D) mm	High (H) mm
GB	830-450	450	125
GB	830-450	450	250
GB	830-450	450	400

COLOR
RAL 9005

GALVANIZED
1,5 mm






COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------



	Width (W) mm	Depth (D) mm	High (H) mm	Max Min With (A) mm
250 Ground Base	850	480	250	760- 420
400 Ground Base	850	480	400	760- 420
600 Ground Base	850	480	600	760- 420
800 Ground Base	850	480	800	760- 420






	Width (W) mm	Depth (D) mm	High (H) mm	Max Min With (A) mm
FLB	850	480	250	760- 420
FLB	850	480	400	760- 420
FLB	850	480	600	760- 420
FLB	850	480	800	760- 420

COLOR RAL 9002	GALVANIZED 1,5 mm
--------------------------	-----------------------------





COLOR RAL 9005		GALVANIZED 1,5 mm	
-------------------	--	----------------------	--




	Width (W) mm	Depth (D) mm	High (H) mm	Max Min With (A) mm
FLB	850	480	250	760- 420
FLB	850	480	400	760- 420
FLB	850	480	600	760- 420
FLB	850	480	800	760- 420





GROUND
BASE



	Width (W) mm	Depth (D) mm	High (H) mm	Max Min With (A) mm
250 Ground Base	850	480	250	760- 420
400 Ground Base	850	480	400	760- 420
600 Ground Base	850	480	600	760- 420
800 Ground Base	850	480	800	760- 420

COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------





FLOOR
STAND
BRACKET



COLOR RAL 9002	GALVANIZED 2 mm
--------------------------	---------------------------

	Depth (D) mm	High (H) mm
WSB	600	320






COLOR
RAL 9002

HRP
1,5 mm

**WELDED
WALL
BRACKET**



	Depth (D) mm	High (H) mm	Thickness mm
WWB	375	450	1,5
WWB	375	500	1,5
WWB	450	550	2






COLOR
RAL 9002

GALVANIZED
1,5 mm

FOLDING
WALL
BRACKET




	Depth (D) mm	High (H) mm	Thickness mm
FWB	425	375	1,5
FWB	465	375	1,5
FWB	550	375	2






COLOR RAL 9002		GALVANIZED 1,5 mm	
-------------------	--	----------------------	--

FOLDING
WALL
BRACKET




	Depth (D) mm	High (H) mm	Thickness mm
FWB	425	375	1,5
FWB	465	375	1,5
FWB	550	375	2





COLOR RAL 9002	GALVANIZED 1 mm	ALUMINUM (XS-S-M) 1,5 mm	ALUMINUM (L-XL) 2 mm
-------------------	--------------------	-----------------------------	-------------------------



	Width (W) mm	Depth (D) mm	High (H) mm	Max Min With (A) mm
250 Ground Base	850	480	250	760- 420
400 Ground Base	850	480	400	760- 420
600 Ground Base	850	480	600	760- 420
800 Ground Base	850	480	800	760- 420





İmiřehir Organize Sanayi Bölgesi
2022. Cadde No: 21 Eskiřehir / TÜRKİYE

Phone: +90(222) 228 01 36

E-Mail: info@liccia.com

Web: www.liccia.com

